

| | Type | L # | Hits | Search Text | DBs |
|----|------|------|------|---------------------------------------|------------------------|
| 1 | BRS | L219 | 488 | 257/432.ccls. | USPAT; US-PGP UB |
| 2 | BRS | L222 | 299 | 257/433.ccls. | USPAT; US-PGP UB |
| 3 | BRS | L225 | 260 | 257/291.ccls. | USPAT; US-PGP UB |
| 4 | BRS | L228 | 282 | 257/436.ccls. | USPAT; US-PGP UB |
| 5 | BRS | L231 | 226 | 438/48.ccls. | USPAT; US-PGP UB |
| 6 | BRS | L234 | 192 | 438/64.ccls. | USPAT; US-PGP UB |
| 7 | BRS | L237 | 40 | 257/433.ccls. and (lead adj frame) | USPAT; US-PGP UB |
| 8 | BRS | L240 | 26 | 257/432.ccls. and (lead adj frame) | USPAT; US-PGP UB |
| 9 | BRS | L243 | 5 | 257/436.ccls. and (lead adj frame) | USPAT; US-PGP UB |
| 10 | BRS | L246 | 6 | L231 and (lead adj frame) | USPAT; US-PGP UB |
| 11 | BRS | L249 | 16 | L234 and (lead adj frame) | USPAT; US-PGP UB |
| 12 | BRS | L252 | 0 | L225 and (lead adj frame) | USPAT; US-PGP UB |

| | Type | L # | Hits | Search Text | DBs |
|----|------|------|------|---|------------------------|
| 13 | BRS | L261 | 3 | L246 and (encapsulant or resin or mold) | USPAT; US-PGP UB |
| 14 | BRS | L255 | 28 | L237 and (encapsulant or resin or mold) | USPAT; US-PGP UB |
| 15 | BRS | L258 | 18 | L240 and (encapsulant or resin or mold) | USPAT; US-PGP UB |
| 16 | BRS | L264 | 15 | L249 and (encapsulant or resin or mold) | USPAT; US-PGP UB |
| 17 | BRS | L267 | 919 | 257/787.ccls. | USPAT; US-PGP UB |
| 18 | BRS | L270 | 392 | L267 and (lead adj frame) | USPAT; US-PGP UB |
| 19 | BRS | L273 | 34 | L270 and (sensor or photo or optic) | USPAT; US-PGP UB |
| 20 | BRS | L276 | 350 | (sensor or photo) and (lead adj frame) and (resin or encapsulant) and (linear or array) | USPAT; US-PGP UB |
| 21 | BRS | L279 | 149 | L276 and (cutting or dicing) | USPAT; US-PGP UB |
| 22 | BRS | L282 | 90 | L279 and linear | USPAT; US-PGP UB |
| 23 | BRS | L285 | 168 | 438/26.ccls. | USPAT; US-PGP UB |
| 24 | BRS | L288 | 141 | 438/27.ccls. | USPAT; US-PGP UB |

| | Type | L # | Hits | Search Text | DBs |
|----|------|------|------|--|------------------------|
| 25 | BRS | L291 | 272 | 438/29.ccls. | USPAT; US-PGP UB |
| 26 | BRS | L294 | 155 | 438/33.ccls. | USPAT; US-PGP UB |
| 27 | BRS | L297 | 251 | 438/112.ccls. | USPAT; US-PGP UB |
| 28 | BRS | L300 | 343 | 438/113.ccls. | USPAT; US-PGP UB |
| 29 | BRS | L309 | 17 | L306 and (cutting or dicing) | USPAT; US-PGP UB |
| 30 | BRS | L303 | 7 | L291 and (lead adj frame) | USPAT; US-PGP UB |
| 31 | BRS | L306 | 26 | L297 and (sensor or optic or photo) | USPAT; US-PGP UB |
| 32 | BRS | L312 | 0 | 438/112.ccls. and (floating adj lead) | USPAT; US-PGP UB |
| 33 | BRS | L315 | 0 | 438/112.ccls. and (floating adj contact) | USPAT; US-PGP UB |
| 34 | BRS | L318 | 1165 | 257/666.ccls. | USPAT; US-PGP UB |
| 35 | BRS | L321 | 1 | L318 and (floating adj contact) | USPAT; US-PGP UB |
| 36 | BRS | L324 | 49 | leads and (floating adj contact) | USPAT; US-PGP UB |

| | Type | L # | Hits | Search Text | DBs |
|----|------|------|------|--|-----------------------------|
| 37 | BRS | L327 | 124 | L297 and (lead adj frame) | USPAT; US-PGP UB |
| 38 | BRS | L330 | 12 | L327 and (sensor or optic or photo) | USPAT; US-PGP UB |
| 39 | BRS | L333 | 88 | (optical adj device) and (lead adj frame) | USPAT; US-PGP UB |
| 40 | BRS | L336 | 66 | L333 and (encapsulation or resin) | USPAT; US-PGP UB |
| 41 | BRS | L339 | 19 | L333 and (encapsulation or resin) and array | USPAT; US-PGP UB |
| 42 | BRS | L342 | 1 | L300 and (optical adj device) and (lead adj frame) | USPAT; US-PGP UB |
| 43 | BRS | L345 | 0 | 438/26.ccls. | EPO; JPO; IBM_TD B |
| 44 | BRS | L349 | 0 | 438/29.ccls. | EPO; JPO; IBM_TD B |
| 45 | BRS | L353 | 0 | 438/33.ccls. | EPO; JPO; IBM_TD B |
| 46 | BRS | L357 | 299 | 257/433.ccls. | USPAT; US-PGP UB |
| 47 | BRS | L360 | 377 | 257/433.ccls. | EPO; JPO; IBM_TD B |
| 48 | BRS | L364 | 507 | 257/432.ccls. | EPO; JPO; IBM_TD B |